

FIGURE 2B


ζ.

-NH₂ NH₂ -NH₂ -NH₂ -NH₂ -NH₂

NH₂

NH₂

-NH₂






FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16

--

÷






FIGURE 17

Activated Receptor Antogonists Inventor: Todd A. Hembrough Atty Docket: 05213-3041 (43170-286877)








FIGURE 18

- Possible R Groups

 Based upon screening data

 Related to AA template

 Limitless options

 Screen activity

	animal #	weigh	weight (g)		tarsal, left (mm)		tarsal, right (mm)	
		Day 1	Day 8	Day 1	Day 8	Day 1	Day 8	
untreated, no arthritis	337	23.1	23.7	2.67	2.79	2.72	2.72	
	338	23.8	24.6	2.73	2.68	2.49	2.41	
	339	21.3	22.7	2.72	2.83	2.54	2.46	
	340	20.9	22.4	2.67	2.69	2.62	2.68	
	341	23.7	25	2.88	2.95	2.7	2.75	
	Ŧ	22.6	23.7	2.73	2.79	2.61	2.60	
			1.1		0.05		-0.01	
							0.04	
PBS, arthritis	317	22	17.3	2.71	3.99	2.7	3.6	
	318	21.3	18.1	2.66	4.57	2.58	3.55	
	319	22.5	21.7	2.65	3.11	2.63	2.81	
	320	21.8	17.7	2.74	3.94	2.75	3.83	
	321	23.6	17.5	2.75	3.81	2.63	3.7	
		22.2	18.5	2.70	3.88	2.66	3.50	
			-3.8		1.18		0.84	
							2.02	
2ME2, arthritis	352	23.4	20.9	2.74	3.1	2.73	3.39	
Zivizz, divivio	*353*	22.4	19.5	2.81	3.29	2.75	3.18	
	354	22.8	18.1	2.62	2.51	2.68	- 2.91	
	355	21.5	20.4	2.72	3.07	2.66	2.81	
	356	20.7	21.2	2.75	2.73	2.63	3.42	
		22.2	20.0	2.73	2.94	2.69	3.14	
			-2.1		0.21		0.45	
							0.66	
547, arthritis	327	22.5	17.9	2.64	3.35	2.69	3.36	
	328	22	17.1	2.73	3.37	2.74	3.17	
	329	21.5	20.4	2.7	3.03	2.67	3.48	
	330	20.6	18.2	2.62	3.24	2.65	3.24	
	331	23.2	19	2.58	3.2	2.65	3.31	
		22.0	18.5	2.65	3.24	2.68	3.31	
			-3.4		0.58		0.63	
							1.22	
LIGK, arthritis	322	21.9	24.3	2.69	2.88	2.56	3.02	
	323	21.6	22.3	2.75	2.9	2.65	2.65	
	324	22.8	23.5	2.68	3.01	2.71	2.89	
	325	23.4	23.1	2.62	2.91	2.75	2.94	
	326	21	21.6	2.74	2.81	2.69	2.97	
		22.1	23.0	2.70	2.90	2.67	2.89	
			8.0		0.21		0.22	
							0.43	

FIGURE 19




FIGURE 20

Title: Compositions and Methods Comprising Protein Activated Receptor Antogonists Inventor: Todd A. Hembrough

Atty Docket: 05213-3041 (43170-286877)




FIGURE 21




FIGURE 22

	LIGK Dose	T/C		5-47 Dose	T/C
gms02-19	4000	0.44		1000	0.44
met	2000	0.52	met	500	0.46
				250	0.87
gms02-13	4000	0.27			
met	2000	0.65			
	1000	0.81			
gms02-07	1000	0.77		The state of the s	***************************************
met	500	0.83			<u> </u>
	500 bid	0.43			
gms02-004	1000	0.38	······································		
primary	500	0.65			
gms02-028	4000	0.56	Primary	4000	1
primary				2000	1.05
				1000	1.3
gms01-xx	1000	0.38,,0.65			
met					

FIGURE 23




FIGURE 24

Title: Compositions and Methods Comprising Protein

Activated Receptor Antogonists Inventor: Todd A. Hembrough Atty Docket: 05213-3041 (43170-286877)

020626 Inhibition of Ca⁺⁺ Signalling by 5mM LIGK Lots, Fragments, Scrambled, and Reverse Peptides HT29, 67uM AP2




FIGURE 25